

Message

From: Brown, Jamesr [brown.jamesr@epa.gov]
Sent: 10/12/2018 6:44:04 PM
To: Gray, David [gray.david@epa.gov]
CC: Maguire, Charles [maguire.charles@epa.gov]; Garcia, David [Garcia.David@epa.gov]; Edlund, Carl [Edlund.Carl@epa.gov]; Crossland, Ronnie [Crossland.Ronnie@epa.gov]; Smalley, Bryant [smalley.bryant@epa.gov]; Delgado, Paige [Delgado.Paige@epa.gov]; Rhotenberry, William [Rhotenberry.William@epa.gov]; Ngo, Kim [Ngo.Kim@epa.gov]; Taheri, Diane [Taheri.Diane@epa.gov]
Subject: Fwd: Final Analytical Report - Craft-Turney Drinking Water Incident
Attachments: image001.png; ATT00001.htm; image002.png; ATT00002.htm; 19SDWA007 DWM.pdf; ATT00003.htm

Full lab report and confirmation of preliminary results given earlier today.

Jim

Sent from my iPhone

Begin forwarded message:

From: "McQuiddy, David" <Mcquiddy.David@epa.gov>
To: "Brown, Jamesr" <brown.jamesr@epa.gov>
Subject: Final Analytical Report - Craft-Turney Drinking Water Incident

Jim,

Please find attached, our Final Analytical Report for TCEQ's Craft-Turney Drinking Water Incident – 35 samples for MBT analysis.

Wes McQuiddy
Chief, Environmental Services Branch
EPA Region 6 (6MD-H)
10625 Fallstone Road
Houston, Texas 77099
214-665-6722

This email may contain material that is confidential, privileged and/or attorney work product and is for the sole use of the intended recipient. Any review, reliance, or distribution by others or forwarding without express permission is strictly prohibited. If you are not the intended recipient, please contact the sender and delete all copies.